SACRAMENTO COUNTY MEDICATION ASSISTED TREATMENT PROVIDERS



COUNTY CONTRACTED PROVIDERS	ADDRESS	PHONE #	MAT
Aegis Treatment Centers	441 S Ham Lane, Suite A, Lodi, CA 95242	(209) 224-8940	M, B, N
Aegis Treatment Centers	1133 Coloma Way, Roseville, CA 95661	(916) 774-6647	M, B, N
BAART Bi-Valley	310 Harris Ave, Suite A, Sacramento, CA 95838	(916) 649-6793	M, B, N
BAART Bi-Valley	6127 Fair Oaks Blvd, Carmichael, CA 95608	(916) 974-8090	M, B, N
C.O.R.E. Medical Clinic	2100 Capital Ave, Sacramento, CA 95816	(916) 442-4985	M, B, N
MedMark Treatment Centers	7240 East Southgate Dr, Suite G, Sacramento, CA 95823	(916) 391-4293	M, B, N
Treatment Associates	7225 East Southgate Dr, Suite D, Sacramento, CA 95823	(916) 394-1000	M, B, N

COMMUNITY BASED PROVIDERS	WEBSITE	PHONE #	МАТ
Elica Health Centers	elicahealth.org	(855) 354-2242	В
One Community Clinic	onecommunityhealth.com	(916) 443-3299	В
Sacramento Native American Health Center	snahc.org	(916) 341-0575	В
Transitions Clinic	sacramentotransitions.com	(916) 452-1068	В
WellSpace Health	wellspacehealth.org	(916) 737-5555	B, N



MAT= Medication-Assisted Treatment M= Methadone B= Buprenorphine N= Naltrexone

Medication-Assisted Treatment for Opioid Use Disorder

Medication-Assisted Treatment (MAT) is the use of FDA-approved medications, in combination with counseling and behavioral therapies, to provide a "wholepatient" approach to the treatment of substance use disorders.

METHADONE

Clinic-based opioid agonist that does not block other narcotics while preventing withdrawal while taking it; daily liquid dispensed only in specialty regulated clinics. Methadone tricks the brain into thinking it's still getting the abused drug. In fact, the person is not getting high from it and feels normal, so withdrawal does not occur.

> • Common brands: Methadose, Diskets, Dolophine

NALTREXONE

Office-based non-addictive opioid antagonist that blocks the effects of other narcotics; daily pill or monthly injection. Naltrexone works differently than methadone and buprenorphine in the treatment of opioid dependency. If a person using naltrexone relapses and uses the abused drug, naltrexone blocks the euphoric and sedative effects of the abused drug and prevents feelings of euphoria.

• Common brands: Revia, Vivitrol

BUPRENORPHINE/ NALOXONE & BUPRENORPHINE

Office-based opioid agonist/antagonist that blocks other narcotics while reducing withdrawal risk; daily dissolving tablet, cheek film, or 6-month implant under the skin. Like methadone, buprenorphine suppresses and reduces cravings for the abused drug.

• Common brands: Suboxone, Zubsolv, Bunavail, Subutex, Probuphine, Sublocade

NALOXONE

A medication used to prevent overdose by opioids such as heroin, morphine, and oxycodone. It blocks opioid receptor sites, reversing the toxic effects of the overdose. Naloxone is administered when a patient is showing signs of opioid overdose. The medication can be given by intranasal spray, intramuscular (into the muscle), subcutaneous (under the skin), or intravenous injection.

• Common brands: Narcan, Evzio *Naloxone offered to all beneficiaries as a form of overdose prevention

Source: SAMHSA.gov (Substance Abuse and Mental Health Services Administration)